

**Amendments to the Claims**

Please cancel claim 40 without prejudice.

This listing of claims will replace all prior versions, and listings of claims in the application.

**Listing of Claims:**

1. (Currently amended): A method of selectively processing tasks in a Financial Service Organization (FSO) computer system, wherein the FSO computer system comprises a plurality of FSO related data sets and a plurality of computer executable FSO related processing tasks, the method comprising:

providing a first set of data set identifiers, each of the data identifiers corresponding to a physical storage location of one or more data set records;

building a list of associated data set identifiers for each of the plurality of FSO related processing tasks, wherein each of the lists is a subset of the first set of data identifiers;

configuring a smart trigger table having a plurality of smart triggers, each of the smart triggers comprising:

a task identifier that identifies ~~an~~ one of the FSO related processing tasks;  
at least one data set identifier selected from the list of data set identifiers associated with the FSO related processing task identified by the task identifier ~~that identifies an FSO related data set~~; and  
a scheduled date for processing the smart trigger;

storing the smart trigger table in a first memory of the computer system;

sequentially reading at least two of the smart triggers from the first memory; and,

for each of the smart triggers read from the first memory:

comparing the scheduled date for processing the smart trigger to the current date;

and

executing the FSO related processing task of the smart trigger to process the data contained in the ~~FSO related data set of the~~ records associated with one or more of the data set identifiers associated with the smart trigger in response to reading the smart trigger from the first memory if the scheduled date of the smart trigger is equal to or before the current date, but not executing the FSO related processing task ~~to process the data contained in the FSO related data set of the smart trigger~~ in response to reading the smart trigger from the first memory if the scheduled date of the smart trigger is after the current date;

wherein for each FSO related processing task executed in response to reading the smart trigger, the smart trigger table executes the FSO related processing task on FSO related data set records that correspond to the at least one data set identifier from the list of associated data set identifiers for the FSO related processing task, but does not execute the FSO related processing task on FSO related data set records that do not correspond to the data set identifiers from the list of associated data set identifiers for the FSO related processing task.

2. (Previously presented): The method of claim 1, wherein storing the smart trigger table in the first memory is performed by an application program executing in the FSO computer system.
3. (Previously presented): The method of claim 1, wherein storing the smart trigger table in the first memory is performed by a user of the FSO computer system.
4. (Previously presented): The method of claim 1, further comprising processing at least one of the smart triggers to generate a first processed smart trigger.

5. (Canceled)

6. (Previously presented): The method of claim 4, wherein processing at least one of the smart triggers comprises deleting the task identifier from the smart trigger.

7. (Canceled)

8. (Canceled)

9. (Previously presented): The method of claim 6, wherein the smart trigger table comprises N rows each one of which comprises one smart trigger, the method further comprising:

- a) setting a counter X to one;
- b) incrementing X by one;
- c) reading an Xth smart trigger from the smart trigger table;
- d) comparing an Xth scheduled date of the Xth smart trigger to the current date;
- e) executing an Xth processing task and processing Xth data contained in an Xth data set in response to the Xth scheduled date of the Xth smart trigger being on or before the current date;
- f) not executing the Xth processing task in response to the Xth scheduled date of the Xth smart trigger being after the current date; and
- g) repeating b) through f) until X equals N.

10. (Previously presented): The method of claim 1, wherein at least one of the smart triggers comprises one or more data fields, wherein data in the one or more data fields is passed to the FSO related processing task of the smart trigger in response to reading the smart trigger.

11. (Previously presented): The method of claim 1, wherein at least one of the FSO related data sets comprises a customer account record containing data relating to a customer of the FSO, wherein the data identifier assigned to the FSO related data set comprises a customer account number corresponding to the customer account record.

12. (Currently amended): The method of claim 71, wherein the FSO computer system further comprises a smart trigger processing task for processing the smart trigger table, wherein the smart trigger processing task is configurable to be executed periodically, wherein the scheduling of the period of execution is configurable by a user of the FSO computer system.

13. (Previously presented): The method of claim 6, wherein the method further comprises deleting at least one of the processing task identifiers in response to executing the processing task.

14. (Currently amended): A carrier medium comprising program instructions, wherein the program instructions are executable by a computer system to implement:

providing a first set of data identifiers, each of the data identifiers corresponding to a physical storage location of one or more data set records;

building a list of associated data set identifiers for each of a plurality of Financial Service Organization (FSO) related processing tasks, wherein each of the lists is a subset of the first set of data identifiers;

configuring a smart trigger table having a plurality of smart triggers each of the smart triggers comprising:

a first task identifier that identifies ~~a one of the Financial Service Organization~~ (FSO) related processing tasks;

~~and at least one~~ data set identifier selected from the list of data set identifiers associated with the FSO related processing task identified by the task identifier that identifies a FSO related data set; and

a scheduled date for processing the smart trigger;

storing the smart trigger table in a first memory of the computer system;

sequentially reading at least two of the smart triggers from the first memory; and

and,

for each of the smart triggers read from the first memory:

comparing the scheduled date for processing the smart trigger to the current date;

and

executing the first FSO related processing task of the smart trigger to process the data contained in the ~~FSO related~~ data set of the records associated with one or more of the data set identifiers associated with the smart trigger in response to reading the smart trigger from the first memory if the scheduled date of the smart trigger is equal to or before the current date, but not executing the FSO related processing task ~~to process the data contained in the FSO related data set of the smart trigger~~ in response to reading the smart trigger from the first memory if the scheduled date of the smart trigger is after the current date;

wherein for each FSO related processing task executed in response to reading the smart trigger, the smart trigger table executes the FSO related processing task on FSO related data set records that correspond to the at least one data identifier from the list of associated data set identifiers for the FSO related processing task, but does not execute the FSO related processing task on FSO related data set records that do not correspond to the data set identifiers from the list of associated data set identifiers for the FSO related processing task.

15. (Previously presented): The carrier medium of claim 14, wherein storing the smart trigger table in the first memory is performed by an application program executing in the FSO computer system.

16. (Previously presented): The carrier medium of claim 14, wherein storing the smart trigger table in the first memory is performed by a user of the FSO computer system.

17. (Previously presented): The carrier medium of claim 14, wherein the program instructions are further executable by the computer system to implement: processing at least one of the smart triggers to generate a first processed smart trigger.

18. (Canceled)

19. (Previously presented): The carrier medium of claim 17, wherein the processing at least one of the smart triggers comprises deleting the task identifier from the smart trigger.

20. (Canceled)

21. (Canceled)

22. (Previously presented): The carrier medium of claim 19, wherein the smart trigger table comprises N rows each one of which comprises one smart trigger, and wherein the program instructions are further executable by the computer system to implement:

- a) setting a counter X to one;
- b) incrementing X by one;
- c) reading an Xth smart trigger from the smart trigger table;
- d) comparing an Xth scheduled date of the Xth smart trigger to the current date;
- e) executing an Xth processing task and processing Xth data contained in an Xth data set in response to the Xth scheduled date of the Xth smart trigger being on or before the current date;
- f) not executing the Xth processing task in response to the Xth scheduled date of the Xth smart trigger being after the current date; and
- g) repeating b) through f) until X equals N.

23. (Previously presented): The carrier medium of claim 14, wherein at least one of the smart triggers comprises one or more data fields, wherein data in the one or more data fields is passed to the FSO related processing task of the smart trigger in response to reading the smart trigger.

24. (Previously presented): The carrier medium of claim 14, wherein at least one of the FSO related data sets comprises a customer account record containing data relating to a customer of

the FSO, wherein the data identifier assigned to the FSO related data set comprises a customer account number corresponding to the customer account record.

25. (Currently amended): The carrier medium of claim-~~20~~14, wherein the FSO computer system further comprises a smart trigger processing task for processing the smart trigger table, wherein the smart trigger processing task is configurable to be executed periodically, wherein the scheduling of the period of execution is configurable by a user of the FSO computer system.

26. (Previously presented): The carrier medium of claim 17, wherein the program instructions are further executable by the computer system to implement: deleting at least one of the processing task identifiers in response to executing the processing task.

27. (Currently amended): A system comprising:

a computer program;

a Financial Service Organization (FSO) computer system comprising a plurality of FSO related data sets, and comprising a plurality of computer executable FSO related processing tasks;

wherein the computer program is executable on the computer system to execute:

providing a first set of data identifiers, each of the data identifiers corresponding to a physical storage location of one or more data set records;

building a list of associated data set identifiers for each of the plurality of the FSO related processing tasks, wherein each of the lists is a subset of the first set of data identifiers;

configuring a smart trigger table having a plurality of smart triggers, each of the smart triggers comprising:

a task identifier that identifies one of the ~~an~~ FSO related processing tasks;  
at least one first data set identifier selected from the list of data set identifiers associated with the FSO related processing task identified by the

task identifier that identifies an FSO related data set; and

a scheduled date for processing the smart trigger;

storing the smart trigger table in a first memory of the computer system;

sequentially reading at least two of the smart triggers from the first memory; and

executing the FSO related processing task of the smart trigger to process the data contained in the FSO related data set of the records associated with one or more of the data set identifiers associated with the smart trigger in response to reading the smart trigger from the first memory if the scheduled date of the smart trigger is equal to or before the current date, but not executing the FSO related processing task ~~to process the data contained in the FSO related data set of the smart trigger~~ in response to reading the smart trigger from the first memory if the scheduled date of the smart trigger is after the current date;

wherein for each FSO related processing task executed in response to reading the smart trigger, the smart trigger table executes the FSO related processing task on FSO related data set records that correspond to the at least one data set identifier from the list of associated data set identifiers for the FSO related processing task, but does not execute the FSO related processing task on FSO related data set records that do not correspond to the data set identifiers from the list of associated data set identifiers for the FSO related processing task.

28. (Previously presented): The system of claim 27, wherein storing the smart trigger table in the first memory is performed by an application program executing in the FSO computer system.

29. (Previously presented): The system of claim 27, wherein storing the smart trigger table in the first memory is performed by a user of the FSO computer system.



30. (Previously presented): The system of claim 27, wherein the computer program is further executable on the FSO computer system to execute: processing at least one of the smart triggers to generate a first processed smart trigger.

31. (Canceled)

32. (Previously presented): The system of claim 30, wherein processing at least one of the smart triggers comprises deleting the task identifier from the smart trigger.

33. (Canceled)

34. (Canceled)

35. (Previously presented): The system of claim 32, wherein the smart trigger table comprises N rows each one of which comprises one smart trigger, and wherein the computer program is further executable on the FSO computer system to execute:

- a) setting a counter X to one;
- b) incrementing X by one;
- c) reading an Xth smart trigger from the smart trigger table;
- d) comparing an Xth scheduled date of the Xth smart trigger to the current date;
- e) executing an Xth processing task and processing Xth data contained in an Xth data set in response to the Xth scheduled date of the Xth smart trigger being on or before the current date;
- f) not executing the Xth processing task in response to the Xth scheduled date of the Xth smart trigger being after the current date; and
- g) repeating b) through f) until X equals N.

36. (Previously presented): The system of claim 27, wherein at least one of the smart trigger comprises one or more data fields, wherein data in the one or more data fields is passed to the FSO related processing task of the smart trigger in response to reading the smart trigger.

37. (Previously presented): The system of claim 27, wherein at least one of the FSO related data sets comprises a customer account record containing data relating to a customer of the FSO, wherein the data identifier assigned to the FSO related data set comprises a customer account number corresponding to the customer account record.

38. (Currently amended): The system of claim-~~33~~27, wherein the FSO computer system further comprises a smart trigger processing task for processing the smart trigger table, wherein the smart trigger processing task is configurable to be executed periodically, wherein the scheduling of the period of execution is configurable by a user of the FSO computer system.

39. (Previously presented): The method of claim 32, wherein the computer program is further executable on the computer system to execute: deleting at least one of the processing task identifiers in response to executing the processing task.

40. (Canceled)

41. (Currently amended): The method of claim 1, wherein the smart trigger table comprises a list of pointers to an account data set, wherein the smart trigger table includes:

an activity number associated with each of the pointers, wherein the activity numbers identify further processing of the account data set; and

activity data associated with each of the activities numbers, wherein the activity data is processed on a user specified scheduled date.

42. (Previously presented): The method of claim 41, wherein the activity number is used as a key to access an associated processing task number.

43. (Previously presented): The method of claim 42, wherein the associated processing task number is used to access an executable processing task name.